

\* All Prices without VAT and taxes

## Compact SA: Intensive care unit

Temperature regulation  , with automatic humidity control 

Item-No.	Item	Price €
8005/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C )	2537,-
8005/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + capillary thermometer (35-41 °C )	1987,-
8005/MP	GTFS microprocessor, digital automatic humidity control, cooling timer + capillary thermometer (35-41 °C )	1737,-
8005/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + capillary thermometer (35-41 °C )	1546,-

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8004/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C ) + water bowl	2004,-
8004/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + capillary thermometer (35-41 °C ) + water bowl	1454,-
8004/MP	GTFS microprocessor, digital humidity display, cooling timer + capillary thermometer (35-41 °C ) + water bowl	1204,-
8004	LED-digital thermometer with control function + hair hygrometer + water bowl + capillary thermometer (35-41 °C )	1045,-

\* All Prices without VAT and taxes

## Compact S84: Hatcher / Incubator (capacity: 84 chicken eggs)

Temperature regulation  , automatic humidity control  , automatic turning 

Item-No.	Item	Price €
8015/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer( 35-41 °C) + 2 automatic turning trays with 8 rollers each	3017,-
8015/MP/ NET	GTFS 84 microprocessor, digital automatic humidity control, cooling timer, network connection + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2467,-
8015/MP	GTFS 84 microprocessor, digital automatic humidity control, cooling timer + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2217,-

Temperature regulation  , automatic humidity control  , without automatic turning 

Item-No.	Item	Price €
8012/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C ) + 2 grid floors	2697,-
8012/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 2 grid floors + capillary thermometer (35-41 °C )	2147,-
8012/MP	GTFS microprocessor , digital automatic humidity control, cooling timer + 2 grid floors + capillary thermometer (35-41 °C)	1897,-

Temperature regulation  , without automatic humidity control  , automatic turning 

Item-No.	Item	Price €
8013/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 2 automatic turning trays with 8 rollers each	2474,-
8013/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1924,-
8013/MP	GTFS microprocessor, digital humidity display, cooling timer + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1674,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## BSS 160: Hatcher / Incubator (capacity: 168 chicken eggs)

Temperature regulation , without automatic humidity control , automatic turning 

Item-No.	Item	Price €
8101/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 4 automatic turning trays with 8 rollers each	2857,-
8101/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2307,-
8101/MP	GTFS microprocessor , digital humidity display , cooling timer + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2057,-

Temperature regulation , automatic humidity control , automatic turning 

Item-No.	Item	Price €
8104/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 4 automatic turning trays with 8 rollers each	3528,-
8104/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2978,-
8104/MP	GTFS microprocessor , digital automatic humidity control, cooling timer + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2728,-

Temperature regulation , automatic humidity control , without automatic turning 

Item-No.	Item	Price €
8102/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 4 grid floors	3219,-
8102/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 4 grid floors + capillary thermometer (35-41 °C)	2669,-
8102/MP	GTFS microprocessor , digital humidity display , cooling timer, + 4 grid floors + capillary thermometer (35-41 °C)	2419,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## BSS 300: Hatcher / Incubator (capacity: 294 chicken eggs)

Temperature regulation  , without automatic humidity control ~~~~ , automatic turning 

Item-No.	Item	Price €
8201/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3585,-
8201/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3035,-
8201/MP	GTFS microprocessor , digital humidity display , cooling timer, + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2785,-

Temperature regulation  , automatic humidity control  , without automatic turning ~~~~

Item-No.	Item	Price €
8202/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 7 grid floors + capillary thermometer (35-41 °C)	3861,-
8202/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 7 grid floors + capillary thermometer (35-41 °C)	3311,-
8202/MP	GTFS microprocessor , digital automatic humidity control, cooling timer, + 7 grid floors + capillary thermometer (35-41 °C)	3061,-

Temperature regulation  , automatic humidity control  , automatic turning 

Item-No.	Item	Price €
8204/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	4320,-
8204/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3770,-
8204/MP	GTFS microprocessor , digital automatic humidity control, cooling timer + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3520,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## BSS 420: Hatcher / Incubator (capacity: 420 chicken eggs)

Temperature regulation , without automatic humidity control , automatic turning 

Item-No.	Item	Price €
8301/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	4061,-
8301/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3511,-
8301/MP	GTFS microprocessor , digital humidity display , cooling timer, + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3261,-

Temperature regulation , automatic humidity control , without automatic turning 

Item-No.	Item	Price €
8302/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 10 grid floors + capillary thermometer (35-41 °C)	3976,-
8302/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 10 grid floors + capillary thermometer (35-41 °C)	3426,-
8302/MP	GTFS microprocessor, digital automatic humidity control, cooling timer, + 10 grid floors + capillary thermometer (35-41 °C)	3176,-

Temperature regulation , automatic humidity control , automatic turning 

Item-No.	Item	Price €
8304/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 10 automatic turning trays with 8 rollers + capillary thermometer (35-41 °C)	4796,-
8304/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	4246,-
8304/MP	GTFS microprocessor , digital automatic humidity control, cooling timer + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3996,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## Compact SR: Reptile Incubator

(capacity: 4 high reptile boxes)

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8006/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 1 grid floor + capillary thermometer (25-35°C)	2004,-
8006/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 1 grid floor + capillary thermometer (25-35°C)	1454,-
8006/MP	GTFS microprocessor, digital humidity display, cooling timer + 1 grid floor + capillary thermometer (25-35°C)	1204,-
8006	LED-digital thermometer with control function + 1 grid floor + capillary thermometer (25-35°C)	1045,-

## BSR 160: Reptile-incubator

(capacity: 8 high reptile boxes)

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8100/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 2 grid floor + capillary thermometer (25-35°C)	2462,-
8100/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 2 grid floors + capillary thermometer (25-35°C)	1912,-
8100/MP/	GTFS microprocessor, digital humidity display, cooling timer + 2 grid floors + capillary thermometer (25-35°C)	1662,-
8100	LED-digital thermometer with control function + 2 grid floors + capillary thermometer (25-35°C)	1503,-

## ProCon automatic systems GmbH & Co. KG

Bettwiesenweg 18  
D-35325 Mücke

Phone +49(0)6400/95691-15  
Fax +49 (0) 64 00/9 56 91-16

Email: grumbach@procononline.de  
Internet: www.grumbach-brutgeraete.de

Registry court Alsfeld HRA 4309  
Manager: Udo Herth

\* All Prices without VAT and taxes

## BSR 300: Reptile-incubator

(capacity: 16 high reptile boxes)

Temperature regulation , without automatic humidity control 

Item-No.	Item	Price €
8200/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 4 grid floors + capillary thermometer (25-35°C)	2633,-
8200/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 4 grid floors + capillary thermometer (25-35°C)	2083,-
8200/MP	GTFS microprocessor, digital humidity display, cooling timer + 4 grid floors + capillary thermometer (25-35°C)	1833,-
8200	LED-digital thermometer with control function + 4 grid floors: + capillary thermometer (25-35°C)	1682,-

## BSR 420: Reptile-incubator

(capacity: 24 high reptile boxes)

Temperature regulation , automatic humidity control 

Item-No.	Item	Price €
8300/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 6 grid floors + capillary thermometer (25-35°C)	3102,-
8300/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 6 grid floors + capillary thermometer (25-35°C)	2552,-
8300/MP	GTFS microprocessor, digital humidity display, cooling timer + 6 grid floors + capillary thermometer (25-35°C)	2302,-
8300	LED-digital thermometer with control function + 6 grid floors + capillary thermometer (25-35°C)	2153,-

### **ProCon automatic systems GmbH & Co. KG**

Bettwiesenweg 18  
D-35325 Mücke

Phone +49(0)6400/95691-15  
Fax +49 (0) 64 00/9 56 91-16

Email: grumbach@procononline.de  
Internet: www.grumbach-brutgeraete.de

Registry court Alsfeld HRA 4309  
Manager: Udo Herth

\* All Prices without VAT and taxes

**All previous price lists are invalidated - Special productions on inquiry.**

## ***Accessories and spare parts:***

8900	Box for reptile eggs, small (19,0 x 15,5 x 10,5cm)	31,69 €
8901	Box for reptile eggs, high (19,0 x 15,5 x 15,0cm)	33,87 €
8902	capillary thermometer (25-35 °C)	30,59 €
8903	capillary thermometer (35-41 °C)	30,59 €
8904	hair hygrometer	17,48 €
8905	Candling lamp	34,96 €
8906	Turning tray with 8 rollers	58,99 €
8907	Roller	3,40 €
8908	Cool down timer installed	49,16 €
8909	Hygrometer "wet bulb"	31,69 €
8910	Disinfectant 0,25l	10,92 €
8911	Digital Eggmonitor "Buddy"	288,39 €
8912	Equipment for "Buddy": Power supply 230 Volt	17,48 €
9847	Hatching tray	61,42 €
9850	Metal tray, rustless	28,40 €
9854	Filter fleece (10 pieces)	5,47 €
7500	Packing costs for incubators: palette + special protective packaging	56,70 €

**Capacity different eggsize per turning tray:**

Chickens	Bantam	Parrots Pheasants	Quails	Ducks	Geese	Emu Nandu	Ostrich
42	48	62	120	30	15	8-12	4-5

## ***ProCon automatic systems GmbH & Co. KG***

Bettwiesenweg 18  
D-35325 Mücke

Phone +49(0)6400/95691-15  
Fax +49 (0) 64 00/9 56 91-16

Email: [grumbach@procononline.de](mailto:grumbach@procononline.de)  
Internet: [www.grumbach-brutgeraete.de](http://www.grumbach-brutgeraete.de)

Registry court Alsfeld HRA 4309  
Manager: Udo Herth



\* All Prices without VAT and taxes

## **Technical Data:**

Article No	Capacity chicken eggs	Rack number	Length	Width	Height	Connection Watt/max.	Consumption kW/daily	Weight ca. kg
S 84	84	2	66	47	45	280-330	0,8-1,0	28-32
BSS 160	168	4	66	47	63	330-420	1,0-1,6	44-50
BSS 300	294	7	66	47	90	330-420	1,6-2,0	53-60
BSS 420	420	10	66	47	118	330-420	1,7-2,2	75