

* All Prices without VAT and taxes

Compact SA: Intensive care unit

Temperature regulation  , with automatic humidity control 

Item-No.	Item	Price €
8005/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer	2649,-
8005/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + capillary thermometer	1989,-
8005/MP	GTFS microprocessor, digital automatic humidity control, cooling timer + capillary thermometer	1654,-
8005/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control	1472,-
8005	LED-digital thermometer with control function, thermostat humidity control + hair hygrometer	1208,-

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8004/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer + water bowl	2209,-
8004/MP/N ET	GTFS microprocessor, digital humidity display, cooling timer, network connection + capillary thermometer + water bowl	1543,-
8004/MP	GTFS microprocessor, digital humidity display, cooling timer + capillary thermometer (35-41 °C) + water bowl	1147,-
8004	LED-digital thermometer with control function + hair hygrometer + water bowl	995,-

* All Prices without VAT and taxes

Compact S84: Hatcher / Incubator (capacity: 84 chicken eggs)

Temperature regulation 🌡️, automatic humidity control 💧, automatic turning 🔄

Item-No.	Item	Price €
8015/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer + 2 automatic turning trays with 8 rollers each	3139,-
8015/NET	GTFS 84 microprocessor, digital automatic humidity control, cooling timer, network connection + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2487,-
8015	GTFS 84 microprocessor, digital automatic humidity control, cooling timer + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2111,-
8014/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1949,-
8014/01	LED-digital thermometer with control function, thermostat humidity control + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	1685,-

Temperature regulation 🌡️, automatic humidity control 💧, without automatic turning ❌

Item-No.	Item	Price €
8012/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer + 2 grid floors	2859,-
8012/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 2 grid floors + capillary thermometer (35-41 °C)	2203,-
8012/MP	GTFS microprocessor, digital automatic humidity control, cooling timer + 2 grid floors + capillary thermometer (35-41 °C)	1807,-
8012/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 2 grid floors + capillary thermometer (35-41 °C)	1665,-
8012/01	LED-digital thermometer with control function, thermostat humidity control + 2 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	1411,-

ProCon automatic systems GmbH & Co. KG

* All Prices without VAT and taxes

Temperature regulation , without automatic humidity control , automatic turning 

Item-No.	Item	Price €
8013/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 2 automatic turning trays with 8 rollers each	2649,-
8013/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1989,-
8013/MP	GTFS microprocessor, digital humidity display, cooling timer + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1594,-
8013/01	LED-digital thermometer with control function + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1441,-

BSS 160: Hatcher / Incubator (capacity: 168 chicken eggs)

Temperature regulation , without automatic humidity control , automatic turning 

Item-No.	Item	Price €
8101/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 4 automatic turning trays with 8 rollers each	3009,-
8101/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2355,-
8101/MP	GTFS microprocessor, digital humidity display, cooling timer + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1959,-
8101/01	LED-digital thermometer with control function, thermostat humidity control + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	1807,-

* All Prices without VAT and taxes

Temperature regulation  , automatic humidity control  , automatic turning 

Item-No.	Item	Price €
8104/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 4 automatic turning trays with 8 rollers each	3639,-
8104/NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2994,-
8104	GTFS microprocessor , digital automatic humidity control, cooling timer + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2598,-
8103/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2548,-
8103/01	LED-digital thermometer with control function thermostat humidity control + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2274,-

Temperature regulation  , automatic humidity control  , without automatic turning 

Item-No.	Item	Price €
8102/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, capillary thermometer (35-41 °C) + 4 grid floors	3369,-
8102/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 4 grid floors + capillary thermometer (35-41 °C)	2720,-
8102/MP	GTFS microprocessor , digital humidity display , cooling timer, + 4 grid floors + capillary thermometer (35-41 °C)	2304,-
8102/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, Digital automatic humidity control + 4 grid floors + capillary thermometer (35-41 °C)	2071,-
8102/01	LED-digital thermometer with control function, thermostat humidity control + 4 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	1797,-

ProCon automatic systems GmbH & Co. KG

* All Prices without VAT and taxes

BSS 300: Hatcher / Incubator (capacity: 294 chicken eggs)

Temperature regulation , without automatic humidity control , automatic turning 

Item-No.	Item	Price €
8201/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3579,-
8201/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2933,-
8201/MP	GTFS microprocessor , digital humidity display , cooling timer, + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2538,-
8201/01	LED-digital thermometer with control function, thermostat humidity control + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2395,-

Temperature regulation , automatic humidity control , without automatic turning 

Item-No.	Item	Price €
8202/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 7 grid floors + capillary thermometer (35-41 °C)	3939,-
8202/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 7 grid floors + capillary thermometer (35-41 °C)	3299,-
8202/MP	GTFS microprocessor , digital automatic humidity control, cooling timer, + 7 grid floors + capillary thermometer (35-41 °C)	2801,-
8202/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 7 grid floors + capillary thermometer (35-41 °C)	2649,-
8202/01	LED-digital thermometer with control function, thermostat humidity control + 7 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	2395,-

ProCon automatic systems GmbH & Co. KG

* All Prices without VAT and taxes

Temperature regulation , automatic humidity control , automatic turning 

Item-No.	Item	Price €
8204/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	4269,-
8204/NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3634,-
8204	GTFS microprocessor , digital automatic humidity control, cooling timer + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3238,-
8203/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3147,-
8203/01	LED-digital thermometer with control function, thermostat humidity control + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2883,-

BSS 420: Hatcher / Incubator (capacity: 420 chicken eggs)

Temperature regulation , without automatic humidity control , automatic turning 

Item-No.	Item	Price €
8301/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	4139,-
8301/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3502,-
8301/MP	GTFS microprocessor , digital humidity display , cooling timer, + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3106,-
8301/01	LED-digital thermometer with control function, thermostat humidity control + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2964,-

* All Prices without VAT and taxes

Temperature regulation  , automatic humidity control  , without automatic turning 

Item-No.	Item	Price €
8302/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 10 grid floors + capillary thermometer (35-41 °C)	4059,-
8302/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 10 grid floors + capillary thermometer (35-41 °C)	3421,-
8302/MP	GTFS microprocessor, digital automatic humidity control, cooling timer, + 10 grid floors + capillary thermometer (35-41 °C)	3025,-
8302/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 10 grid floors + capillary thermometer (35-41 °C)	2872,-
8302/01	LED-digital thermometer with control function, thermostat humidity control + 10 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	2598,-

Temperature regulation  , automatic humidity control  , automatic turning 

Item-No.	Item	Price €
8304/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 10 automatic turning trays with 8 rollers + capillary thermometer (35-41 °C)	4929,-
8304/NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	4304,-
8304	GTFS microprocessor , digital automatic humidity control, cooling timer + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3806,-
8303/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital-automatic humidity regulation + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3664,-
8303/01	LED-digital thermometer with control function, thermostat humidity control + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	3400,-

ProCon automatic systems GmbH & Co. KG

* All Prices without VAT and taxes

Compact SR: Reptile Incubator

(capacity: 4 high reptile boxes)

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8306/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 1 grid floor + capillary thermometer (35-41 °C)	2209,-
8006/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 1 grid floor	1543,-
8006/MP	GTFS microprocessor, digital humidity display, cooling timer + 1 grid floor	1147,-
8006	LED-digital thermometer with control function + 1 grid floor	995,-

Temperature regulation  , automatic humidity regulation 

Item-No.	Item	Price €
8306/02/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 1 grid floor + capillary thermometer	2409,-
8006/02 MP/NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 1 grid floor	1746,-
8006/02 MP	GTFS microprocessor, digital automatic humidity control, cooling timer + 1 grid floor	1350,-

ProCon automatic systems GmbH & Co. KG

* All Prices without VAT and taxes

BSR 160: Reptile-incubator

(capacity: 8 high reptile boxes)

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8100/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 2 grid floor + capillary thermometer	2639,-
8100/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 2 grid floors	1979,-
8100/MP/	GTFS microprocessor, digital humidity display, cooling timer + 2 grid floors	1583,-
8100	LED-digital thermometer with control function + 2 grid floors:	1431,-

Temperature regulation  , automatic humidity control 

Item-No.	Item	Price €
8100/02/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 2 grid floor + capillary thermometer	2839,-
8100/02 /MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 2 grid floors	2182,-
8100/02/ MP	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 2 grid floors	1644,-

* All Prices without VAT and taxes

BSR 300: Reptile-incubator

(capacity: 16 high reptile boxes)

Temperature regulation , without automatic humidity control 

Item-No.	Item	Price €
8200/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 4 grid floors + capillary thermometer	2980,-
8200/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 4 grid floors	2320,-
8200/MP	GTFS microprocessor, digital humidity display, cooling timer + 4 grid floors	1720,-

Temperature regulation , automatic humidity control 

Item-No.	Item	Price €
8200/02/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 4 grid floors + capillary thermometer	3009,-
8200/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 4 grid floors	2355,-
8200/02/ MP	GTFS microprocessor, digital automatic humidity control, cooling timer + 4 grid floors	1746,-

ProCon automatic systems GmbH & Co. KG

Bettwiesenweg 18
D-35325 Mücke

Phone +49(0)6400/95691-15
Fax +49 (0) 64 00/9 56 91-16

Email: grumbach@procononline.de
Internet: www.grumbach-brutgeraete.de

Registry court Alsfeld HRA 4309
Manager: Udo Herth

* All Prices without VAT and taxes

BSR 420: Reptile-incubator

(capacity: 24 high reptile boxes)

Temperature regulation , automatic humidity control ~~~~

Item-No.	Item	Price €
8300/ CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 6 grid floors + capillary thermometer	3239,-
8300/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 6 grid floors	2588,-
8300/MP	GTFS microprocessor, digital humidity display, cooling timer + 6 grid floors	2192,-
8300	LED-digital thermometer with control function + 6 grid floors	2050,-

Temperature regulation , automatic humidity control 

Item-No.	Item	Price €
8300/02 CTD7	Breed calendar, data logging, regulation monitoring, e-mail live data, web browser, network connection LAN/WLAN, + 6 grid floors + capillary thermometer	3449,-
8300/02 /MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 6 grid floors	2801,-
8300/02 /MP	GTFS microprocessor, digital automatic humidity control, cooling timer + 6 grid floors	2406,-

All previous price lists are invalidated - Special productions on inquiry.

ProCon automatic systems GmbH & Co. KG

Bettwiesenweg 18
D-35325 Mücke

Phone +49(0)6400/95691-15
Fax +49 (0) 64 00/9 56 91-16

Email: grumbach@procononline.de
Internet: www.grumbach-brutgeraete.de

Registry court Alsfeld HRA 4309
Manager: Udo Herth

* All Prices without VAT and taxes

Accessories and spare parts:

8900	Box for reptile eggs, small (19,0 x 15,5 x 10,5cm)	30,18
8901	Box for reptile eggs, high (19,0 x 15,5 x 15,0cm)	32,26
8902	capillary thermometer (25-35 °C)	29,13
8903	capillary thermometer (35-41 °C)	29,13
8904	hair hygrometer	16,65
8905	Candling lamp	33,29
8906	Turning tray with 8 rollers	56,18
8907	Roller	3,23
8908	Cool down timer installed	46,82
8909	Hygrometer "wet bulb"	30,18
8910	Disinfectant 0,25l	10,40
8911	Digital Eggmonitor "Buddy"	274,66
8912	Equipment for "Buddy": Power supply 230 Volt	16,65
9847	Hatching tray	58,26
9850	Metal tray, rustless	27,05
9854	Filter fleece (10 pieces)	5,21
7500	Packing costs for incubators: palette + special protective packaging	54,00
	Ohaus scales and specialised books upon request	

Capacity different eggsize per turning tray:

Chickens	Bantam	Parrots Pheassants	Quails	Ducks	Geese	Emu Nandu	Ostrich
42	48	62	120	30	15	8-12	4-5

* All Prices without VAT and taxes

Technical Data:

Article No	Capacity chicken eggs	Rack number	Length	Width	Height	Connection Watt/max.	Consumption kW/daily	Weight ca. kg
8013/12	84	2	66	47	45	330	0,5	22
8014/15	84	2	66	47	45	420	0,8	28
8101/01	168	4	66	47	63	330	0,8	44
8103/04	168	4	66	47	63	420	1,0	50
8201/02	294	7	66	47	90	330	1,6	53
8203/04	294	7	66	47	90	420	2,0	60
8301/02	420	10	66	47	118	330	1,7	67
8303/04	420	10	66	47	118	420	2,2	75