

\* All Prices without VAT and taxes

## Compact SA: Intensive care unit

Temperature regulation  , with automatic humidity control 

Item-No.	Item	Price €
8005/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + capillary thermometer	1910,-
8005/MP	GTFS microprocessor, digital automatic humidity control, cooling timer + capillary thermometer	1550,-
8005/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control	1410,-
8005	LED-digital thermometer with control function, thermostat humidity control + hair hygrometer	1160,-

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8004/MP/N ET	GTFS microprocessor, digital humidity display, cooling timer, network connection + capillary thermometer + water bowl	1480,-
8004/MP	GTFS microprocessor, digital humidity display, cooling timer + capillary thermometer (35-41 °C) + water bowl	1100,-
8004	LED-digital thermometer with control function + hair hygrometer + water bowl	960,-

\* All Prices without VAT and taxes

## Compact S84: Hatcher / Incubator (capacity: 84 chicken eggs)

Temperature regulation , automatic humidity control , automatic turning 

Item-No.	Item	Price €
8015/NET	GTFS 84 microprocessor, digital automatic humidity control, cooling timer, network connection + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2390,-
8015	GTFS 84 microprocessor, digital automatic humidity control, cooling timer + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2010,-
8014/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1870,-
8014/01	LED-digital thermometer with control function, thermostat humidity control + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	1620,-

Temperature regulation , automatic humidity control , without automatic turning 

Item-No.	Item	Price €
8012/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 2 grid floors + capillary thermometer (35-41 °C )	2120,-
8012/MP	GTFS microprocessor , digital automatic humidity control, cooling timer + 2 grid floors + capillary thermometer (35-41 °C)	1740,-
8012/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 2 grid floors + capillary thermometer (35-41 °C)	1600,-
8012/01	LED-digital thermometer with control function, thermostat humidity control + 2 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	1360,-

Temperature regulation , without automatic humidity control , automatic turning 

Item-No.	Item	Price €
8013/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1910,-
8013/MP	GTFS microprocessor, digital humidity display, cooling timer + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1530,-
8013/01	LED-digital thermometer with control function + 2 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1390,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## BSS 160: Hatcher / Incubator (capacity: 168 chicken eggs)

Temperature regulation , without automatic humidity control ~~~~, automatic turning 

Item-No.	Item	Price €
8101/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2260,-
8101/MP	GTFS microprocessor , digital humidity display , cooling timer + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	1880,-
8101/01	LED-digital thermometer with control function, thermostat humidity control + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	1740,-

Temperature regulation , automatic humidity control , automatic turning 

Item-No.	Item	Price €
8104/NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2880,-
8104	GTFS microprocessor , digital automatic humidity control, cooling timer + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2500,-
8103/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2450,-
8103/01	LED-digital thermometer with control function thermostat humidity control + 4 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2190,-

Temperature regulation , automatic humidity control , without automatic turning ~~~~

Item-No.	Item	Price €
8102/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 4 grid floors + capillary thermometer (35-41 °C)	2610,-
8102/MP	GTFS microprocessor , digital humidity display , cooling timer, + 4 grid floors + capillary thermometer (35-41 °C)	2230,-
8102/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, Digital automatic humidity control + 4 grid floors + capillary thermometer (35-41 °C)	1990,-
8102/01	LED-digital thermometer with control function, thermostat humidity control + 4 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	1730,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

### **BSS 300: Hatcher / Incubator (capacity: 294 chicken eggs)**

Temperature regulation  , without automatic humidity control ~~~~ , automatic turning 

Item-No.	Item	Price €
8201/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2820,-
8201/MP	GTFS microprocessor , digital humidity display , cooling timer, + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2440,-
8201/01	LED-digital thermometer with control function, thermostat humidity control + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2300,-

Temperature regulation  , automatic humidity control  , without automatic turning ~~~~

Item-No.	Item	Price €
8202/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 7 grid floors + capillary thermometer (35-41 °C)	3170,-
8202/MP	GTFS microprocessor , digital automatic humidity control, cooling timer, + 7 grid floors + capillary thermometer (35-41 °C)	2690,-
8202/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 7 grid floors + capillary thermometer (35-41 °C)	2550,-
8202/01	LED-digital thermometer with control function, thermostat humidity control + 7 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	2300,-

Temperature regulation  , automatic humidity control  , automatic turning 

Item-No.	Item	Price €
8204/NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3490,-
8204	GTFS microprocessor , digital automatic humidity control, cooling timer + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3110,-
8203/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3020,-
8203/01	LED-digital thermometer with control function, thermostat humidity control + 7 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2770,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## BSS 420: Hatcher / Incubator (capacity: 420 chicken eggs)

Temperature regulation , without automatic humidity control ~~~~, automatic turning 

Item-No.	Item	Price €
8301/MP/ NET	GTFS microprocessor , digital humidity display , cooling timer, network connection + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3370,-
8301/MP	GTFS microprocessor , digital humidity display , cooling timer, + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2990,-
8301/01	LED-digital thermometer with control function, thermostat humidity control + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	2850,-

Temperature regulation , automatic humidity control , without automatic turning ~~~~

Item-No.	Item	Price €
8302/MP/ NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3290,-
8302/MP	GTFS microprocessor, digital automatic humidity control, cooling timer, + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	2910,-
8302/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital automatic humidity control + 10 grid floors + capillary thermometer (35-41 °C)	2760,-
8302/01	LED-digital thermometer with control function, thermostat humidity control + 10 grid floors + capillary thermometer (35-41 °C) + hair hygrometer	2500,-

Temperature regulation , automatic humidity control , automatic turning 

Item-No.	Item	Price €
8304/NET	GTFS microprocessor , digital automatic humidity control, cooling timer, network connection + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	4140,-
8304	GTFS microprocessor , digital automatic humidity control, cooling timer + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3660,-
8303/01/02	LED-digital thermometer with control function, LED-digital hygrometer with control function, digital-automatic humidity regulation + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C)	3520,-
8303/01	LED-digital thermometer with control function, thermostat humidity control + 10 automatic turning trays with 8 rollers each + capillary thermometer (35-41 °C) + hair hygrometer	3270,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## Compact SR:     Reptile Incubator

(capacity: 4 high reptile boxes)

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8006/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 1 grid floor	1480,-
8006/MP	GTFS microprocessor, digital humidity display, cooling timer + 1 grid floor	1100,-
8006	LED-digital thermometer with control function + 1 grid floor	960,-
/2G	Alternatively with 2 grid floors for 8 small reptile boxes	upcharge: 46,-

Temperature regulation  , automatic humidity regulation 

Item-No.	Item	Price €
8006/02 MP/NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 1 grid floor	1680,-
8006/02 MP	GTFS microprocessor, digital automatic humidity control, cooling timer + 1 grid floor	1300,-
/2G	Alternatively with 2 grid floors for 8 small reptile boxes	upcharge: 46,-

## **ProCon automatic systems GmbH & Co. KG**

\* All Prices without VAT and taxes

## BSR 160: Reptile-incubator

(capacity: 8 high reptile boxes)

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8100/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 2 grid floors	1900,-
8100/MP/	GTFS microprocessor, digital humidity display, cooling timer + 2 grid floors	1520,-
8100	LED-digital thermometer with control function + 2 grid floors	1380,-
/4G	Alternatively with 4 grid floors for 16 small reptile boxes	upcharge: 92,-

Temperature regulation  , automatic humidity control 

Item-No.	Item	Price €
8100/02 /MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 2 grid floors	2100,-
8100/02/ MP	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 2 grid floors	1580,-
/4G	Alternatively with 4 grid floors for 16 small reptile boxes	upcharge: 92,-



\* All Prices without VAT and taxes

## BSR 300: Reptile-incubator

(capacity: 16 high reptile boxes)

Temperature regulation  , without automatic humidity control 

Item-No.	Item	Price €
8200/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 4 grid floors	2060,-
8200/MP	GTFS microprocessor, digital humidity display, cooling timer + 4 grid floors	1680,-
8200	LED-digital thermometer with control function + 4 grid floors	540,-
/8G	Alternatively with 8 grid floors for 32 small reptile boxes	upcharge: 184,-

Temperature regulation  , automatic humidity control 

Item-No.	Item	Price €
8200/MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 4 grid floors	2260,-
8200/02/ MP	GTFS microprocessor, digital automatic humidity control, cooling timer + 4 grid floors	1680,-
/8G	Alternatively with 8 grid floors for 32 small reptile boxes	upcharge: 184,-



\* All Prices without VAT and taxes

## BSR 420: Reptile-incubator

(capacity: 24 high reptile boxes)

Temperature regulation  , automatic humidity control ~~~~

Item-No.	Item	Price €
8300/MP/ NET	GTFS microprocessor, digital humidity display, cooling timer, network connection + 6 grid floors	2490,-
8300/MP	GTFS microprocessor, digital humidity display, cooling timer + 6 grid floors	2110,-
8300	LED-digital thermometer with control function + 6 grid floors	1970,-
/12G	Alternatively with 12 grid floors for 48 small reptile boxes	upcharge: 276,-

Temperature regulation  , automatic humidity control 

Item-No.	Item	Price €
8300/02 /MP/ NET	GTFS microprocessor, digital automatic humidity control, cooling timer, network connection + 6 grid floors	2690,-
8300/02 /MP	GTFS microprocessor, digital automatic humidity control, cooling timer + 6 grid floors	2310,-
/12G	Alternatively with 12 grid floors for 48 small reptile boxes	upcharge: 276,-

**All previous price lists are invalidated - Special productions on inquiry.**

## **ProCon automatic systems GmbH & Co. KG**

Bettwiesenberg 18  
D-35325 Mücke

Phone +49(0)6400/95691-15  
Fax +49 (0) 64 00/9 56 91-16

Email: grumbach@procononline.de  
Internet: www.grumbach-brutgeraete.de

Registry court Alsfeld HRA 4309  
Manager: Udo Herth

\* All Prices without VAT and taxes

## Accessories and spare parts:

8900	Box for reptile eggs, small (19,0 x 15,5 x 10,5cm)	29,00
8901	Box for reptile eggs, high (19,0 x 15,5 x 15,0cm)	31,00
8902	capillary thermometer (25-35 °C)	28,00
8903	capillary thermometer (35-41 °C)	28,00
8904	hair hygrometer	16,00
8905	Candling lamp	32,00
8906	Turning tray with 8 rollers	54,00
8907	Roller	3,10
8908	Cool down timer installed	45,00
8909	Hygrometer "wet bulb"	29,00
8910	Disinfectant 0,25l	10,00
8911	Digital Eggmonitor "Buddy"	264,00
8912	Equipment for "Buddy": Power supply 230 Volt	16,00
9847	Hatching tray	56,00
9850	Metal tray, rustless	26,00
9854	Fiterfleece (10 pieces)	5,00
7500	Packing costs for incubators: palette + cardboard box	32,00
	Ohaus scales and specialised books upon request	

## Capacity different eggsize per turning tray:

Chickens	Bantam	Parrots Pheassants	Quails	Ducks	Geese	Emu Nandu	Ostrich
42	48	62	120	30	15	8-12	4-5

\* All Prices without VAT and taxes

---

## Technical Data:

Article No	Capacity chicken eggs	Rack number	Length	Width	Height	Connection Watt/max.	Consumption kW/daily	Weight ca. kg
8013/12	84	2	66	47	45	330	0,5	22
8014/15	84	2	66	47	45	420	0,8	28
8101/01	168	4	66	47	63	330	0,8	44
8103/04	168	4	66	47	63	420	1,0	50
8201/02	294	7	66	47	90	330	1,6	53
8203/04	294	7	66	47	90	420	2,0	60
8301/02	420	10	66	47	118	330	1,7	67
8303/04	420	10	66	47	118	420	2,2	75